

# 2024



Waymore Tools Co.,Ltd.  
[www.waymoretools.com](http://www.waymoretools.com)

Professional Team and service are here be ready to serve you.





**WAYMORE BETTER**

## WAYMORE TOOLS CO., LTD.

Waymore Tools is one of the top 10 factory in Power Tools market. We have experiences and knowledge in power products more than 20 years and have great reputation in producing and selling to global market including Europe, America, East Asia and Africa.

We provide OEM and ODM service to meet with customer's requirement. Keep developing innovative products and service is our mission.

All of our products are under strict quality standards. Our quality system confirms to ISO 9001 rules. Our products have achieved the exact safety standard demanded for certification by the MPA Standards Group of Germany. Constant attention to quality details in the manufacturing process and rigorous oversight guarantee repeatable precision performance.

With advanced digital technology, our factory is innovative and grow together with our customers, we take strict quality control before send out, there is always new products in our development deparment. We are dedicated ourselves to providing customers with high quality products and favorable prices. Sincerely hope that you can cooperate with us!





# PROFESSIONAL LASER LEVELS

## WME-46

Green Beam Laser Level



Specification	4D16 lines Laser Level
Projection	4 x 360° Green Laser Lines
Laser Class	Class 2 (IEC/EN60825-1/2014)
Laser Wavelength	520nm
Accuracy	±0.06 Inch at 23 Feet
Power Supply	Lithium Battery

## WME-02

Green Beam Laser Level



Specification	4D16 lines Laser Level
Projection	4 x 360° Green Laser Lines
Laser Class	Class 2 (IEC/EN60825-1/2014)
Laser Wavelength	520nm
Accuracy	±0.06 Inch at 23 Feet
Power Supply	Lithium Battery

## WME-30

Green Beam Laser Level



Specification	4D16 lines Laser Level
Projection	4 x 360° Green Laser Lines
Laser Class	Class 2 (IEC/EN60825-1/2014)
Laser Wavelength	520nm
Accuracy	±0.06 Inch at 23 Feet
Power Supply	Lithium Battery

## WME-24

Green Beam Laser Level



Specification	5 lines Laser Level
Projection	5 x 180° Green Laser Lines
Laser Class	Class 2 (IEC/EN60825-1/2014)
Laser Wavelength	520nm
Accuracy	±0.06 Inch at 23 Feet
Power Supply	Lithium Battery

## WME-25

Green Beam Laser Level



Specification	5 lines Laser Level
Projection	5 x 180° Red Laser Lines
Laser Class	Class 2 (IEC/EN60825-1/2014)
Laser Wavelength	520nm
Accuracy	±0.06 Inch at 23 Feet
Power Supply	Lithium Battery

## WME-36

Green Beam Laser Level



Specification	5 lines Laser Level
Projection	5 x 180° Green Laser Lines
Laser Class	Class 2 (IEC/EN60825-1/2014)
Laser Wavelength	520nm
Accuracy	±0.06 Inch at 23 Feet
Power Supply	Lithium Battery

# PROFESSIONAL CORDLESS TOOLS

## WME-LD15

Two-speed Li-ion Cordless Drill



Battery(V- )	12
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

## WME-LD16

Two-speed Li-ion Cordless Drill



Battery(V- )	18
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

## WME-LD17

Two-speed Li-ion Cordless Drill



Battery(V- )	14.4
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

## WME-LD18

Two-speed Li-ion Cordless Drill



Battery(V- )	36
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

## WME-LD19

Two-speed Li-ion Cordless Impact Drill



Battery(V- )	36
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	2.0AH
Charge Time(h)	1

## WME-LD20

Two-speed Li-ion Cordless Drill



Battery(V- )	48V
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	60
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	4.0AH
Charge Time(h)	2.5



# PROFESSIONAL CORDLESS TOOLS

## WME-PW04

Brushless Li-ion Impact Wrench



Battery(V- )	88VF
Hex size(mm)	( 1/2" )
Max.Torque(Nm)	360
No-Load Speed(r/min)	0-2200
Battery Capacity (mAh)	18000
Charge Time(h)	2.5

## WME-PW05

Li-ion Impact Wrench



Battery(V- )	88VF
Hex size(mm)	( 1/2" )
Max.Torque(Nm)	360
No-Load Speed(r/min)	0-2200
Battery Capacity (mAh)	18000
Charge Time(h)	2.5

## WME-PW06

Li-ion Impact Wrench



Battery(V- )	118VF
Hex size(mm)	( 1/2" )
Max.Torque(Nm)	360
No-Load Speed(r/min)	0-2200
Battery Capacity (mAh)	18000
Charge Time(h)	2.5

## WME-PW07

CORDLESS IMPACT DRIVER



Battery(V- )	48VF/88VF
Hex size(mm)	( 1/4" )
Max.Torque(Nm)	360
No-Load Speed(r/min)	0-2200
Battery Capacity (mAh)	18000
Charge Time(h)	2.5

## WME-CS04

Cordless Marble Cutter



Battery capacity(Ah)	128VF
Charge Time(h)	2.5
Blade Diameter	Φ125(mm)
No-load Speed	10800(r/min)
Max. Cutting Depth	32(mm)
Max. Cutting Width	50(mm)
Net Weight(kg)	2.56kg

## WME-CS05

Cordless Marble Cutter



Battery capacity(Ah)	188VF
Charge Time(h)	2.5
Blade Diameter	Φ125(mm)
No-load Speed	10800(r/min)
Max. Cutting Depth	32(mm)
Max. Cutting Width	50(mm)
Net Weight(kg)	2.56kg





**WME-LD21**

Two-speed Li-ion Cordless Drill



Battery(V- )	12
Drill Copacity(mm) Ø10	
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

**WME-LD22**

Two-speed Li-ion Cordless Drill



Battery(V- )	18
Drill Copacity(mm) Ø10	
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

**WME-LD23**

Two-speed Li-ion Cordless Drill



Battery(V- )	36
Drill Copacity(mm) Ø10	
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

**WME-LD03**

Two-speed Li-ion Cordless Drill



Battery(V- )	36
Drill Copacity(mm) Ø10	
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

**WME-PW08**

Brushless Li-ion Impact Wrench



Battery(V- )	168/188VF
Hex size(mm)	( 1/2" )
Max.Torque(Nm)	550
No-Load Speed(r/min)	0-2200
Battery Capacity (mAh)	18000
Charge Time(h)	2.5

**WME-CS06**

Brushless Li-ion Circular saw



Battery voltage	118/188VF
Battery capacity	4.4Ah
No-load speed	10000r/min
Grinding wheel diameter	Ø185mm
Cutting depth	45mm

**WME-CS03**

Brushless Li-ion Chain saw



Battery voltage	118/188VF
Battery capacity	4.4Ah
No-load speed	400r/min
Length of guide plate	205mm
Charge Time(h)	2.5

**WME-SS05**


Reciprocating saber saw



Battery voltage	128VF	
Battery capacity	4.4Ah	
Stroke length	28mm	
cutting depth	Hard metals	10mm
	Wood	50mm
	Pipe diameter	50mm
Rated no load speed	0-3300r/min	
Charging time	2.5/3.5h	

**WME-AB04**

Cordless Blower



Battery voltage	128VF
Battery capacity	4.4Ah
No-load speed	0-24000r/min
Maximum air volume	12.2m <sup>3</sup> /min
Maximum wind speed	46.5m/s
Charging time	3.5h

**WME-LD04**

Two-speed Li-ion Cordless Drill



Battery(V- )	18
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

**WME-LD24**

Two-speed Li-ion Cordless Drill



Battery(V- )	18
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

**WME-PW09**

Brushless Li-ion Impact Wrench



Battery(V- )	118VF
Hex size(mm)	( 1/2" )
Max.Torque(Nm)	360
No-Load Speed(r/min)	0-2200
Battery Capacity (mAh)	18000
Charge Time(h)	2.5

**WME-LD25**

Two-speed Li-ion Cordless Drill



Battery(V- )	12
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

**WME-LD26**

Two-speed Li-ion Cordless Drill



Battery(V- )	18
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1

**WME-LD27**

Two-speed Li-ion Cordless Drill



Battery(V- )	36VF
Drill Copacity(mm)	Ø10
Max.Torque(Nm)	16/38
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	2.0AH
Charge Time(h)	2



## WME-PS01

Brushless Li-ion pruning scissors



Battery voltage	36VF
Battery capacity	2.0Ah
Pruning range	0-20mm/0-30mm

## WME-PW10

Brushless Li-ion Impact Wrench



Battery(V- )	108VF
Hex size(mm)	( 1/2" )
Max.Torque(Nm)	360
No-Load Speed(r/min)	0-2200
Battery Capacity (mAh)	18000
Charge Time(h)	2.5

## WME-CS04

Brushless Li-ion Chain saw



Battery voltage	36VF
Battery capacity	3.0/4.0/6.0Ah
No-load speed	600r/min
Length of guide plate	105mm
Charge Time(h)	1.5

## WME-LD28

Two-speed Li-ion Cordless Drill



Battery(V- )	12v
Drill Copacity(mm)	∅10
Max.Torque(Nm)	25
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1.5

## WME-LD07

Two-speed Li-ion Cordless Impact Drill



Battery(V- )	36VF
Drill Copacity(mm)	∅10
Max.Torque(Nm)	40
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	1.5AH
Charge Time(h)	1.5

## WME-LD01

Two-speed Li-ion Cordless Impact Drill



Battery(V- )	118VF
Drill Copacity(mm)	∅13
Max.Torque(Nm)	60
No-Load Speed(r/min)	0-800/0-1350
Battery Capacity	4.0AH
Charge Time(h)	2.5



## WME-TP01

Li-ion Tile paver



### 6 speed regulation



Battery(V- )	36VF
Max.Suitable for tile(cm)	100*100
Maximum adsorption capacity(Kg)	100
Battery Capacity	1.5AH
Charge Time(h)	1

## WME-AB05

Li-ion Cordless Blower



Battery(V- )	48VF
Battery Capacity(Ah)	22000
Rotary Power Input(W)	900
Max.Gas Volume(m <sup>3</sup> /min)	2.8
No-Load Speed(r/min)	800
Charge TimeAn hour or so(h)	2.5

## WME-PS02

Brushless Li-ion pruning scissors



Battery voltage	36VF
Battery capacity	2.0Ah
Pruning range	0-20mm/0-30mm



## WME-LD25

Two-speed Li-ion Cordless Drill  
**Combination suit**



## WME-LD26

Two-speed Li-ion Cordless Drill  
**Combination suit**



## WME-LD27

Two-speed Li-ion Cordless Drill  
**Combination suit**



## WME-PS03

Li-ion Sheet iron scissors



Battery voltage	36VF
Battery capacity	2.0Ah
Scissors frequency	0-2400.../min
Shear capacity	Steel 1.5mm
	Aluminum 1.6mm
	Stainless steel 0.5mm

## WME-CS03

Brushless Li-ion Marble cutter



Battery voltage	88VF/128VF
Battery capacity	3.0/4.0/6.0Ah
No-load speed	10000r/min
Grinding wheel diameter	Ø125mm
Cutting depth	20mm

## WME-CS07

Brushless Li-ion Circular saw



Battery voltage	88VF/128VF
Battery capacity	3.0/4.0/6.0Ah
No-load speed	10000r/min
Grinding wheel diameter	Ø185mm
Cutting depth	45mm

## WME-CS08

Brushless Li-ion Circular saw



Battery voltage	88VF/128VF
Battery capacity	3.0/4.0/6.0Ah
No-load speed	9000r/min
Grinding wheel diameter	Ø132mm
Cutting depth	22mm

## WME-CS05

Brushless Li-ion Chain saw



Battery voltage	48VF/88VF/128VF
Battery capacity	3.0/4.0/6.0Ah
No-load speed	400r/min
Length of guide plate	205mm
Charge Time(h)	2.5

## WME-AG04

Brushless Li-ion Angle Grinder



Battery voltage	48VF/88VF/128VF
Battery capacity	3.0/4.0/6.0Ah
No-load speed	8500r/min
Grinding wheel diameter	Ø100mm
Cutting depth	20mm



**WME-GT01**

Li-ion Grass Trimmer



Battery voltage	12V
Battery capacity	1.5Ah
Rated power	460W
Rated speed	12500r/min

**WME-GT02**

Li-ion Grass Trimmer



Battery voltage	36VF
Battery capacity	2.0Ah
Rated power	460W
Rated speed	12500r/min


**WME-PC01**

Lithium High pressure cleaner

Battery voltage	188VF
Battery capacity	6.6Ah
Maximum pressure	60-120Bar
flow	240-320L/h
Water absorption height	<3.5m
Effluent time	<15s
Charging time	2.5/3.5h



Waymore Tools Co.,Ltd.

# 2024

ONE STOP SERVICE FOR POWER TOOLS



Waymore Tools Co., Ltd.

Tel : 86-137 7763 7758

Whatsapp : 86-137 7763 7758

Email : [daniel@waymoretools.com](mailto:daniel@waymoretools.com)

Website : <https://www.waymoretools.com>

Add : No. 136 Qingnian road, Jiaojiang district,  
Taizhou city, Zhejiang province, China

If necessary, you can contact us anytime.

We will serve you wholeheartedly.